Index of Authors

ANDERSON, N. *See* ARMOUR, J.

ANYA, A. O. Physiology of infection with oxyurid parasites: development and hatching of eggs, 12P

ARME, C. and OWEN, R. W. Ligulosis in cyprinid fishes: a unique form of parasite interference with a vertebrate reproductive cycle, 7P

ARME, C. *See* OWEN, R. W.

ARMOUR, J., ANDERSON, N., JENNINGS, F. W., RITCHIE, S. D. S. and URQUHART, G. M. Experimental field studies on bovine ostertagiasis, 11P

ARMOUR, J. *See* JENNINGS, F. W.

ARTHUR, DON. R. and CHAUDHURI, R. P. A revision of *Nosomma monstrosum* (Nuttall and Warburton, 1908) Ixodoidea; Ixodidae. (With 18 Figures in the Text), 391

AVERY, R. A. Host parasite relations of some hymenolepidid tapeworms, 6P

AWACHIE, J. B. E. The ecology of *Echinorhynchus truttae* Schrank, 1788 (Acanthocephala) in a trout stream in North Wales. (With 6 Figures in the Text), 747

BARNETT, S. F. The ecology of the tick *Ixodes ricinus* in East Anglia, 7P

BARTH, E. E. E. and JARRETT, W. F. H. The pathogenesis of *Nippostrongylus brasiliensis* in the rat, 3P

BEESLEY, W. N. Anaphylactic shock in warbled animals treated with systemic insecticides, 9P

BISHOP, ANN. Resistance to diamino-diphenylsulphone in *Plasmodium gallinaceum*, 407

BRAMBELL, M. R. The distribution of a primary infestation of *Nippostrongylus brasiliensis* in the small intestine of laboratory rats. (With 6 Figures in the Text), 313

BRATEN, T. *See* CHARLES, C. H.

BRAY, R. S. *See* LAINSON, R.

BROCKLESBY, D. W. *See* JARRETT, W. F. H.

BRUCE, R. G. The capsule of *Trichinella spiralis* larvae, 22P

BURTT, E. T. *See* ROOD, J. P.

CALLOW, L. L. *Babesia bigemina* in ticks grown on non-bovine hosts and its transmission to these hosts, 375

CALLOW, L. L. *See* HOPKINS, C. A.

CHARLES, C. H. and BRATEN, T. The fine structure of the tegument of *Schistocephalus solidus*, 20P

CHAUDHURI, R. P. *See* ARTHUR, DON. R.

CHRISTIE, M. G. Chemically abbreviated infections with *Haemonchus contortus*—an experimental system for the study of immunity, 10P

CHUBB, J. C. Mass occurrence of *Pomphorhynchus laevis* (Müller, 1776), Monticelli, 1905 (Acanthocephala) in the chub *Squalius cephalus* (L.) from the River Avon, Hampshire, 5P

CONNAN, R. Immunity in the guinea-pig to *Trichostrongylus colubriformis*—a study of the antigen associated with immunity, 10P

COSGROVE, G. E. *See* INGLIS, WILLIAM G.

COX, V. A. Observations on selenidiids from the polychaetes *Cirratulus cirratus* and *Cirriformis tentaculata*, 13P

CROLL, N. A. The klinokinetic behaviour of infective *Trichonema* larvae in light. (With 1 Figure in the Text), 579

CROMPTON, D. W. T. A histochemical study of the distribution of glycogen and oxidoreductase activity in *Polymorphus minutus* (Goeze, 1782) (Acanthocephala). (With 1 Plate and 9 Figures in the Text), 503

CROMPTON, D. W. T. Aspects of the metabolism of *Polymorphus minutus* (Goeze, 1782) (Acanthocephala), 21P

CROMPTON, D. W. T. and HARRISON, J. G. Observations on *Polymorphus minutus* (Goeze, 1782) (Acanthocephala) from a wildfowl reserve in Kent. (With 4 Figures in the Text), 345

CROMPTON, D. W. T. and LEE, D. L. The fine structure of the body wall of *Polymorphus minutus* (Goeze, 1782) (Acanthocephala). (With 4 Plates and 1 Figure in the Text), 357
CROMPTON, D. W. T. *See* LEE, D. L.

DAVIES, P. S. and WALKEY, M. The effect of pH upon oxygen consumption in *Schistocephalus solidus*, 19P
DENHAM, D. A. Immunity to *Trichinella spiralis* infections in mice, 10P
DICKERSON, G. The effect of anaesthetics on mature infections of *Schistosoma mansoni* in the laboratory white mouse, 17P
DINEEN, J. K., DONALD, A. D., WAGLAND, B. M. and OFFNER, JAN. The dynamics of the host-parasite relationship. III. The response of sheep to primary infection with *Haemonchus contortus*. (With 3 Figures in the Text), 515
DINEEN, J. K., DONALD, A. D., WAGLAND, B. M. and TURNER, J. H. The dynamics of the host-parasite relationship. II. The response of sheep to primary and secondary infection with *Nematodirus spathiger*. (With 2 Figures in the Text), 163
DIXON, K. E. The structure and histochemistry of the cyst wall of the metacercaria of *Fasciola hepatica* L. (With 1 Plate and 1 Figure in the Text), 215
DOBSON, COLIN. The relationship between worm population density, host survival and the growth of the third-stage larva of *Amplicaecum robertsi* Sprent & Mines, 1960, in the mouse. (With 4 Figures in the Text), 183
DOBSON, COLIN. The effects of host sex and age on the host-parasite relationship of the third-stage larva of *Amplicaecum robertsi* Sprent & Mines, 1960, in the labaratory rat. (With 2 Figures in the Text), 303
DONALD, A. D. *See* DINEEN, J. K.
DUDZINSKI, M. L. and MYKYTOWYCZ, R. Distribution of the nematode *Labiostrongylus longispicularis* (Wood) within the stomach of the Red Kangaroo *Megaleia rufa* (Desmarest). (With 2 Figures in the Text), 543
DUDZINSKI, M. L. *See* MYKYTOWYCZ, R.
DUNN, ANGUS M. The gastro-intestinal helmiths of wild ruminants in Britain. I. Roe deer, *Capreolus capreolus capreolus*, 739

EDMONDS, S. J. Some experiments on the nutrition of *Moniliformis dubius* Meyer (Acanthocephala). (With 4 Figures in the Text), 337
ELKAN, E. Two unfinished chapters of amphibian parasitology, 8P
ERASMUS, DAVIS A. *See* PROBERT, ALLAN J.

FULTON, J. D. Micro agglutination test for *Toxoplasma* antibodies, 14P

GREEN, J. Two species of peritrichous Ciliata epibiotic on parasitic Crustacea from Lake Albert, Uganda. (With 2 Figures in the Text), 195
GRESSON, R. A. R. Spermatogenesis in the hermaphroditic Digenea (Trematoda). (With 1 Figure in the Text), 117

HALLIDAY, G. J., NEILSON, J. T. M. and MULLIGAN, W. Studies on gut permeability in parasitized animals, using labelled P.V.P., 2P
HAMMOND, R. A. The functioning of the proboscis apparatus of *Acanthocephalus ranae*, 24P
HARDY, G. J. C. *See* LUMSDEN, W. H. R.
HARRIS, M. P. *See* WILLIAMS, I. C.
HARRISON, J. G. *See* CROMPTON, D. W. T.
HOPKINS, C. A. and CALLOW, L. L. Methionine flux between a tapeworm (*Hymenolepis diminuta*) and its environment. (With 4 Figures in the Text), 653
HOPKINS, C. ADRIAN. *See* MCCAIG, MORAG L. O.
HOPKINS, C. A. and SINHA, D. P. Growth of the fish tapeworm *Schistocephalus solidus in vitro*, 19P
HORTON-SMITH, C. and LONG, P. L. The development of *Eimeria necatrix* Johnson, 1930 and *Eimeria brunetti* Levine, 1942 in the caeca of the domestic fowl (*Gallus domesticus*). (With 2 Plates), 401
HOWELLS, R. E. Electron-microscope and histochemical studies on the cuticle and subcuticular tissues of *Moniezia expansa*, 20P

INGLIS, W. G. Primate: pinworm co-phylogenies, 22P
INGLIS, WILLIAM G. and COSGROVE, G. E. The pin-worm parasites (Nematoda: Oxyuridae) of the Hapalidae (Mammalia: Primates). (With 6 Figures in the Text), 731

JACKSON, GEORGE J. Differentiation of three species of *Neoaplectana* (Nematoda: Rhabditida), grown axenically. (With 1 Plate), 571
JAMES, B. L. The effects of parasitism by larval Digenea on the digestive gland of the intertidal prosobranch, *Littorina saxatilis* (Olivi) subsp. *tenebrosa* (Montagu). (With 2 Plates and 9 Figures in the Text), 93
JARRETT, W. F. H. *See* BARTH, E. E. E.
JARRETT, W. F. H. and BROCKLESBY, D. W. Preliminary electron microscopic studies on East Coast Fever, 13P
JENKINS, T. Histochemical and electron microscope studies on *Trichuris suis*, 22P
JENNINGS, F. W., ARMOUR, J., ROBERTS, R. and LAWSON, D. D. Biochemical consequences of bovine ostertagiasis, 12P
JENNINGS, F. W. *See* ARMOUR, J.

KEARN, G. C. The biology of *Leptocotyle minor*, a skin parasite of the dogfish, *Scyliorhinus canicula*. (With 1 Plate and 3 Figures in the Text), 473
KENNEDY, C. R. The life-history of *Archigetes limnodrili* (Yamaguti) (Cestoda: Caryophyllaeidae) and its development in the invertebrate host. (With 6 Figures in the Text), 427
KENNEDY, C. R. Taxonomic studies on *Archigetes* Leuckart, 1878 (Cestoda: Caryophyllaeidae). (With 7 Figures in the Text), 439
KENNEDY, C. R. The mode of hatching of the egg of the cestode *Archigetes hepatica* (Yamaguti), 18P
KNOX, B. E. Uptake of nutrients by *Fasciola hepatica*, 17P

LAINSON, R. and BRAY, R. S. Cross-immunity between *Leishmania braziliensis*, *L. mexicana* and *L. pifanoi* in rhesus monkeys, 15P
LAWSON, D. D. *See* JENNINGS, F. W.
LEE, D. L. The cuticle of adult *Nippostrongylus brasiliensis*. (With 3 Plates and 2 Figures in the Text), 173
LEE, D. L. and CROMPTON, D. W. T. The ultrastructure of the body wall of *Polymorphus minutus* (Acanthocephala), 21P
LEE, D. L. *See* CROMPTON, D. W. T.
LEITCH, B. *See* URQUHART, G. M.
LINCICOME, D. R. *See* STIREWALT, M. A.
LINCICOME, DAVID RICHARD and WATKINS, ROY CHESTER. Antigenic relationships among *Trypanosoma lewisi*—complex cells. I. Agglutinins in antisera, 365
LONG, P. L. *See* HORTON-SMITH, C.
LUMSDEN, W. H. R., ROBERTSON, D. H. H. and HARDY, G. J. C. Isolation, cultivation, low-temperature preservation and infectivity titration of *Trichomonas vaginalis* Donne, 16P
LYONS, K. M. Clamp development in a monogenean gill parasite, 5P

MCCAIG, MORAG L. O. and HOPKINS, C. ADRIAN. Studies on *Schistocephalus solidus*. 3. The *in vitro* cultivation of the plerocercoid. (With 1 Plate and 6 Figures in the Text), 257
MACKENZIE, K. The plerocercoid of *Gilquinia squali* Fabricius, 1794. (With 13 Figures in the Text), 607
MACKENZIE, K. Two new helminths from North Sea fish, 5P
MAPES, C. J. Structure and function in the nematode pharynx. I. The structure of the pharynges of *Ascaris lumbricoides*, *Oxyuris equi*, *Aplectana brevicaudata* and *Panagrellus silusiae*. (With 19 Figures in the Text), 269
MAPES, C. J. Structure and function in the nematode pharynx. II. Pumping in *Panagrellus*, *Aplectana* and *Rhabditis*. (With 11 Figures in the Text), 583
MAWSON, PATRICIA M. Notes on some species of Nematoda from kangaroos and wallabies, including a new genus and three new species. (With 64 Figures in the Text), 145
METTRICK, D. F. and MUNRO, H. N. Studies on the protein metabolism of cestodes. I. Effect of host dietary constituents on the growth of *Hymenolepis diminuta*, 453

MORIARTY, F. The development of the beet eelworm *Heterodera schachtii* Schm. in monoxenic culture. (With 1 Figure in the Text), 719
MULLIGAN, W. *See* HALLIDAY, G. J.
MUNRO, H. N. *See* METTRICK, D. R.
MYKYTOWYCZ, R. and DUDZINSKI, M. L. Sex ratio, weight, length and numbers of *Labiostrongylus longispicularis* (Wood), the large stomach worm of the Red Kangaroo (*Megaleia rufa* (Desmarest)), in relation to age of the host and season. (With 4 Figures in the Text), 527
MYKYTOWYCZ, R. *See* DUDZINSKI, M. L.

NARAIN, BANDANA. Survival of the first-stage larvae and infective larvae of *Bunostomum trigonocephalum* Rudolphi, 1808. (With 3 Figures in the Text), 551
NEAL, R. A. *Leishmania tropica* infections in mice: with a method for investigating the effect of drugs on cutaneous leishmaniasis, 16P
NEILSON, J. T. M. *See* HALLIDAY, G. J.
NOWELL, F. The parasitaemia of *Babesia microtia*, 14P
NUTTING, WILLIAM and WOOLLEY, PATRICIA. Pathology in *Antechinus stuartii* (Marsupialia) due to *Demodex* sp. (With 2 Plates), 383

OFFNER, JAN. *See* DINEEN, K. J.
OGILVIE, BRIDGET M. Role of adult worms in immunity of rats to *Nippostrongylus brasiliensis* (With 3 Figures in the Text), 325
OGILVIE, BRIDGET M. Use of cortisone derivatives to inhibit resistance to *Nippostrongylus brasiliensis* and to study the fate of parasites in resistant hosts. (With 3 Figures in the Text), 723
OGILVIE, B. M. Stimulation of reagin-like antibodies by *Nippostrongylus brasiliensis*, 3P
OGILVIE, B. M. *See* SMITHERS, S. R.
ÖHMAN, CHRISTINA. The structure and function of the adhesive organ in strigeid trematodes. Part II. *Diplostomum spathaceum* Braun, 1893. (With 2 Plates and 4 Figures in the Text), 481
OWEN, R. W. and ARME, C. Some observations on the distribution of *Ligula* plerocercoids in British freshwater fishes, 6P
OWEN, R. W. *See* ARME, C.

PALING, J. E. The population dynamics of the monogenean gill parasite *Discocotyle sagittata* Leuckart on Windermere trout, *Salmo trutta*, L. (With 8 Figures in the Text), 667
PALING, J. E. The population dynamics of the monogenean gill parasite *Discocotyle sagittata* on Windermere trout, 5P
PIKE, A. W. and SMITH, J. W. Comments on the occurrence of helminth eggs in medieval remains at Winchester, 22P
POINAR, GEORGE O., Jr. The bionomics and parasitic development of *Tripius sciarae* (Bovien) (Sphaerulariidae: Aphelenchoidea), a nematode parasite of sciarid flies (Sciaridae: Diptera). (With 6 Figures in the Text), 559
PROBERT, ALLAN J. and ERASMUS, DAVID A. The migration of *Cercaria X* Baylis (Strigeida) within the molluscan intermediate host *Lymnaea stagnalis*. (With 2 Plates and 4 Figures in the Text), 77

REES, GWENDOLEN and WILLIAMS, H. HARFORD. The functional morphology of the scolex and the genitalia of *Acanthobothrium coronatum* (Rud.) (Cestoda: Tetraphyllidea). (With 3 Plates and 43 Figures in the Text), 617
REES, G. and WILLIAMS, H. H. Observations on *Acanthobothrium coronatum* (Rud. 1819) (Cestoda: Tetraphyllidea) from *Scyliorhinus stellaris* (L.), 23P
RICHARDS, W. H. G. *See* WILLIAMS, H. H.
RITCHIE, S. D. S. *See* ARMOUR, J.
ROBERTS, R. *See* JENNINGS, F. W.
ROBERTSON, D. H. H. *See* LUMSDEN, W. H. R.
ROOD, J. P. and BURTT, E. T. Host relationships of *Ixodes arvicolae* Warburton on the Scilly Isles, 595

Ross, J. G. Infections of cattle with *Fasciola hepatica*. The effect of level of infection on the fate of the parasite, 1 p

Scott, J. S. The development and morphology of *Polycerus lumbrici* (Cestoda: Cyclophyllidea). (With 2 Plates and 4 Figures in the Text), 127
Scott, J. S. Evagination of the cysticercoid in *Polycercus lumbrici*, 421
Shepperson, J. R. *See* Stirewalt, M. A.
Sinha, D. P. *See* Hopkins, C. A.
Smith, J. W. *See* Pike, A. W.
Smithers, S. R. and Ogilvie, B. M. Reagin-like antibodies and the passive transfer of resistance in experimental schistosomiasis, 2 p
Smithers, S. R. and Terry, R. J. The infection of laboratory hosts with cercariae of *Schistosoma mansoni* and the recovery of the adult worms. (With 1 Plate), 695
Smithers, S. R. and Terry, R. J. Naturally acquired resistance to experimental infections of *Schistosoma mansoni* in the rhesus monkey (*Macaca mulatta*). (With 6 Figures in the Text), 701
Smithers, S. R. and Terry, R. J. Acquired resistance to experimental infections of *Schistosoma mansoni* in the albino rat. (With 3 Figures in the Text), 711
Sprent, J. F. A. Nematode larva migrans, 4 p
Stark, G. T. C. *Diplocotyle* (Eucestoda), a parasite of *Gammarus zaddachi* in the estuary of the Yorkshire Esk, Britain, 415
Stirewalt, M. A., Shepperson, J. R. and Lincicome, D. R. Comparison of penetration and maturation of *Schistosoma mansoni* in four strains of mice. (With 2 Figures in the Text), 227
Sturrock, R. F. The control of trichostrongyle larvae (Nematoda) by fumigation in relation to their bionomics. I. Bionomics results. (With 5 Figures in the Text), 29
Sturrock, R. F. The control of trichostrongyle larvae (Nematoda) by fumigation in relation to their bionomics. II. Laboratory toxicity tests with methyl bromide. (With 12 Figures in the Text), 45
Sturrock, R. F. The control of trichostrongule larvae (Nematoda) by fumigation in relation to their bionomics. III. Field trials with methyl bromide. (With 2 Figures in the Text), 67

Targett, G. A. T. and Voller, A. Fluorescent antibody studies on sera from rhesus monkeys vaccinated against *Plasmodium knowlesi*, 9 p
Tate, P. Obituary Notice, David Keilin, 1887–1963. (With 1 Plate), 1
Terry, R. J. Acquired resistance to *Schistosoma mansoni* in the albino rat and the rhesus monkey, 1 p
Terry, R. J. *See* Smithers, S. R.
Threadgold, L. T. An electron microscope study of the tegument and associated structures of *Proteocephalus pollanicoli*. (With 3 Plates and 1 Figure in the Text), 467
Thorpe, E. An immunocytochemical study with *Fasciola hepatica*. (With 3 Plates), 209
Turner, J. H. *See* Dineen, J. K.

Urquhart, G. M. *See* Armour, J.
Urquhart, G. M. and Leitch, B. Immunity to haemonchosis in endemic areas, 4 p

Vickerman, K. Polymorphism and transmissibility in trypanosomes, 16 p
Voller, A. *See* Targett, G. A. T.

Wagland, B. M. *See* Dineen, J. K.
Wakelin, D. On species of the genus *Capillaria* Zeder, 1800 (Nematoda) from British domestic fowl. (With 1 Plate and 7 Figures in the Text), 285
Walkey, M. *See* Davies, P. S.
Walliker, D. *Trypanosoma superciliosae* sp.nov. from the lizard *Uranoscodon superciliosa* L. (With 1 Figure in the Text), 601
Warhurst, D. C. Chloroquine resistance and the mode of action of chloroquine in *Plasmodium berghei* of rodents, 14 p

WATKINS, ROY CHESTER. *See* LINCICOME, DAVID RICHARD
WHUR, P. Relationship of the globule leucocyte to parasitism, 2P
WILES, M. Reproduction in the gill fluke, *Diplozoon paradoxum* v. Nordmann, 1832, 4P
WILLIAMS, H. HARFORD. Observations on the occurrence of *Dictyocotyle coeliaca* and *Calicotyle kroyeri* (Trematoda: Monogenea), 201
WILLIAMS, H. HARFORD. *See* REES, GWENDOLEN
WILLIAMS, H. H. and RICHARDS, W. H. G. An intestinal nematode and a protozoan parasite of *Raja radiata*, 4P
WILLIAMS, I. C. and HARRIS, M. P. The infection of the gulls *Larus argentatus* Pont., *L. fuscus* L. and *L. marinus* L. with Cestoda on the coast of Wales, 237
WOOLLEY, PATRICIA. *See* NUTTING, WILLIAM

Index of Subjects

Acanthobothrium coronatum (Rud.), functional morphology of the scolex and genitalia of, 617
, parasitic in *Scyliorhinus stellaris*, 23P
Acanthocephalus ranae, functioning of the proboscis of, 24P
Amplicaecum robertsi, parasitic in the laboratory rat, effects of the host's age and sex on the third-stage larva of, 303
, worm-population density, and growth of the third-stage larva of, in the mouse, 183
anaphylactic shock in cattle treated with insecticides to control the warble fly *Hypoderma*, 9P
Antechinus stuartii (Marsupialia), effects of *Demodex* sp. on, 383
antigens, in *Fasciola hepatica* and in rats infected with it, 209
Aplectana, sp. pumping action of the pharynx of, 583
Aplectana brevicaudata (Nematoda), structure of the pharynx of, 269
Archigetes, taxonomic studies on, 439
Archigetes hepatica, mode of hatching of the egg of, 18P
A. limnodrili, life history and development of, in the invertebrate host, 427
Ascaris lumbricoides (Nematoda), structure of the pharynx of, 269
Aspiculuris tetraptera, in mice, physiology of the infection: development and hatching of the eggs, 12P

Babesia bigemina, in ticks (*Boophilus microplus*) grown on non-bovine hosts (sheep, goat and horse) and its transmission to these hosts, 375
B. microtia, parasitic in rats, parasitaemia of, 14P
Batrachomyia, maggots of, parasitic in Australian frogs, 8P
beet eelworm (*Heterodera schachtii*), development of, in monoxenic culture, 719
Boophilus microplus, on non-bovine hosts (sheep, goat and horse); *Babesia bigemina* in; transmission of *B. bigemina* by, to non-bovine hosts, 375
Bunostomum trigonocephalum, survival of the first-stage and infective larvae of, 551

Calicotyle kroyeri (Monogenea), parasitic in *Raja* spp., 201
Capillaria, species of, parasitic in the British domestic fowl, 285
Cercaria X Baylis (Strigeida), within the intermediate host *Lymnaea stagnalis*, 77
Cestoda, infestation of the gulls *Larus argentatus*, *L. fuscus* and *L. marinus* with, 237
cestodes, protein metabolism of, 453
check-list of trypanosomes parasitic in Reptilia, 601
Ciliata, peritrichous, two species of, epibiotic on parasitic Crustacea in Uganda, 195
Crustacea, parasitic, from Uganda, peritrichous Ciliata epibiotic on, 195

Demodex sp., effects of, on *Antechinus stuartii* (Marsupialia), 383
Dermocystidium, unusual features of infection of a salamander with, 8P
Dictyocotyle coeliaca (Monogenea), parasitic in *Raja* spp., 201
Digenea (Trematoda), hermaphroditic, spermatogenesis in, 117
, larvae of, effects of on the digestive gland of *Littorina saxatilis* subsp. *tenebrosa*, 93
Diplocotyle sp. parasitic in *Gammarus zaddachi* in Yorkshire, England, 415
Diplostomum spathaceum, structure and function of the adhesive organ of, 481
Diplozoon paradoxum, reproduction of, 4P
Discocotyle, taxonomy of the genus, 690
Discocotyle sp., incidence of on brown trout in Windermere and Crummock Water, 687
D. sagittata (Monogenea), parasitic on the gills of the brown trout (*Salmo trutta* L.), population dynamics of, 667
, rate of growth of, 675
, time of death of, 678
, breeding season of, 680
, atypical infection of the brown trout with, 686

Echinorhynchus truttae, ecology of, in a trout stream in North Wales, 747
Eimeria brunetti, development of, in the caeca of the domestic fowl, 401
E. necatrix, development of, in the caeca of the domestic fowl, 401

Fasciola hepatica, distribution of antigens in, 209
, in cattle, effect of the level of infection on the fate of the parasite, 1P
, metacercaria of, structure and histochemistry of the cyst wall of, 215
, uptake of nutrients by, 17P
fish, from the North Sea, two new helminths of, 5P
fowl, British domestic, species of *Capillaria* parasitic in, 285
, development of *Eimeria necatrix* and *E. brunetti* in, 401

Gilquinia squali, plerocercoid of, 607
globule leucocyte, relation of, to parasitism, 2P

haemonchosis, immunity of British lambs to, in endemic areas; vaccination of British lambs against, 4P
Haemonchus contortus, chemically abbreviated infections with, 10P
, response of sheep to primary infection with, 515
Hapalidae, oxyurid parasites of, 731
helminths, eggs of in medieval remains at Winchester, England, 22P
, gastro-intestinal, parasitic in wild Roe deer in Britain, 739
, two new species of, parasitic in North Sea fish, 5P
Heterodera schachtii, development of, in monoxenic culture, 719
host-parasite relationship, dynamics of, II, 163
, III, 515
Hymenolepididae, parasitic in mallard ducks, host-parasite relationships of, 6P
Hymenolepis diminuta, effects of the host's diet on the growth of, 453
, methionine flux between it and its environment, 653

Ixodes arvicolae, in the Scilly Isles, host relationships of, 595
I. ricinus, ecology of in East Anglia, England, 7P

kangaroos and wallabies, a new genus and three new species of Nematoda from, 145
Keilin, obituary notice, 1

Labiostrongylus longispicularis, distribution of in the stomach of the red kangaroo, 543
, sex ratio, weight, length and numbers of, in the red kangaroo, in relation to the age of the host and the season, 527
Larus argentatus, *L. fuscus* and *L. marinus*, Cestoda parasitic in, 237
larva migrans, nematode, 4P
Leishmania braziliensis, *L. mexicana* and *L. pifanoi*, cross-immunity between, in rhesus monkeys, 15P
L. tropica, infections of mice, 16P
leishmaniasis, cutaneous, method for studying the effect of drugs on, 16P
Leptocotyle minor, parasitic on the skin of the dogfish (*Scyliorhinus canicula*), biology of, 473
Ligula intestinalis, distribution of the plerocercoids of, in British freshwater fishes, 6P
ligulosis, in cyprinid fishes, effect of on the hosts' reproductive cycle, 7P
Littorina saxatilis subsp. *tenebrosa*, effects of Digenea larvae on, 93

methionine flux between a tapeworm (*Hymenolepis diminuta*) and its environment, 653
Moniezia expansa, electron microscope and histochemical studies of the cuticle and sub-cuticular tissues of, 20P
Moniliformis dubius (Acanthocephala), experiments on the nutrition of, 337
monogenean gill parasite, clamp development of, 5P
, *Discocotyle sagittata* population dynamics of, on Windermere trout, 667, 5P
mouse, infection with *Amplicaecum robertsi*, host-survival of, 183

Nematoda, a new genus and three new species of, from kangaroos and wallabies, 145
, pharynx of, its structure and function, I; pumping action of, 583
Nematodirus spathiger, response of sheep to, 163
Neoaplectana, differentiation of three species of, grown axenically, 571
Nippostrongylus brasiliensis, cuticle of the adult of, 173
, distribution of a primary infestation of, in laboratory rats, 313
, infecting rats, use of polyvinylpyrrolidone to study the permeability of the host's intestine, 2P
, inhibition of resistance of, by means of cortisone derivatives, 723
, pathogenesis of, in the rat, 3P
, role of adults of, in the immunity of rats to, 325
, stimulation of reagin-like antibodies by, in the rat 3P,
Nosomma monstrosum (Ixodidae), revision of, 391

Oesophagonastes gen.nov., Nematoda parasitic in wallabies, 157
, species of, 158–9
Ostertagia ostertagi, in cattle, in Scotland, experimental field studies of, 11P
, biochemical consequences of, 12P
Oxyuridea, parasitic in Hapalidae, 731
, parasitic in Primates, host relationships of, 22P
Oxyuris equi, (Nematoda) structure of the pharynx of, 269

Panagrellus silusiae, (Nematoda), structure of the pharynx of, 269
, pumping action of the pharynx of, 583
Parasitism, relation of the globule leucocyte to, 2P
Pharyngostrongylus kappa sp.nov., from *Macropus canguru*, 147
P. lambda sp.nov. from *Macropus robustus*, 151
Plasmodium berghei, in rodents, resistance of, to chloroquine and mode of action of chloroquine, 14P
P. gallinaceum, resistance of, to diamino-diphenylsulphone, 407
P. knowlesi, fluorescent antibody studies on sera of rhesus monkeys vaccinated against it, 9P
Polycercus lumbrici (Cestoda: Cyclophyllidea), development and morphology of, 127
, evagination of the cysticercoid of, 421
Polymorphus minutus (Acanthocephala), aspects of the metabolism of, 21P
, distribution of glycogen and oxido-reductase activity in, 503
, fine structure of the body wall of, 357
, parasitic in wild fowl, in Kent, England, 345
, ultrastructure of the body wall of, 21P
polyvinylpyrrolidone, labelled, use of to study permeability of the gut of rats infected with *Nippostrongylus brasiliensis*, 2P
Pomphorhynchus laevis, mass occurrence of in the chub *Squalius cephalus*, in the River Avon, Hampshire, England, 5P
Proteocephalus pollanicoli, electron microscope study of the tegument and associated structures of, 467

Raja, four species of, hosts of *Dictyocotyle coeliaca* and *Calicotyle kroyeri*, 201
Raja radiata, a protozoon and intestinal nematode parasitic in, 4P
rat, laboratory, distribution of *Nippostrongylus brasiliensis* in, 313
, effect of age and sex of, on the third-stage larva of *Amplicaecum robertsi*, 303
, immunity of, to *Nippostrongylus brasiliensis*, 325
, infected with *Nippostrongylus brasiliensis*, study of the permeability of the intestine by the use of polyvinylpyrrolidone, 2P
, pathogenesis of *Nippostrongylus brasiliensis* in, 3P
, stimulation of reagin-like antibodies by *Nippostrongylus brasiliensis* in, 3P
, suppression of acquired resistance of, to *Nippostrongylus brasiliensis* by treatment of them with prednisolone and betamethasone, 723
Rhabditis sp., pumping action of the pharynx of, 583
roe deer, wild, in Britain, gastro-intestinal parasites of, 739

Salmo truttae, host of *Echinorhynchus truttae* in North Wales, 747
, life history of, in Windermere, 669
Schistocephalus solidus, effect of pH on the oxygen consumption of, 19P
, fine structure of the integument of, 20P
, *in vitro* cultivation of the plerocercoid of, 257
Schistosoma mansoni, acquired resistance of the albino rat to experimental infections with, 711
, acquired resistance of the albino rat and rhesus monkey to, 1P
, effect of anaesthetics on mature infections of mice with, 17P
, infection of laboratory hosts (rodents and monkeys) with the cercariae of, and recovery of the adult worms, 695
, naturally acquired resistance of the rhesus monkey to experimental infections with, 701
, penetration and maturation of, in four strains of mice, 227
, reagin-like antibodies and passive transfer of resistance to, in experimental infections of rats and rhesus monkeys, 2P
selenidiids, parasitic in polychaete worms, 13P
sheep, response of, to primary and secondary infection with *Nematodirus spathiger*, 163
, to primary infection with *Haemonchus contortus*, 515
Syphacia obvelata in mice, physiology of the infection; development and hatching of the eggs, 12P

Theileria parva, electron microscope studies of, 13P
Toxoplasma gondii, micro-agglutination test for the antibodies of, 14P
Trematoda, strigeid, structure and function of the adhesive organ of, II, 481
Trichinella spiralus, capsule of the larvae of, 22P
, immunity of mice to, 10P
Trichonema, larvae of, klinokinetic behaviour of, in light, 579
trichostrongyle larvae (Nematoda), control of, by fumigation in relation to their bionomics, I, 29
II, 45
III, 67
Trichostrongylus colubriformis, immunity of the guinea-pig to, 10P
Trichuris suis, histochemical and electron microscope studies of, 22P
Tripius sciarae (Nematoda), bionomics and development of, in sciarid flies, 559
Trypanosoma lewisi, antigenic relationships among six isolates of, 365
T. superciliosae sp.nov., parasitic in the blood of the lizard *Uranoscodon superciliosa*, 601
trypanosomes, parasitic in Reptilia, check-list of, 601
, polymorphism and transmissibility of, 16P

wildfowl, in Kent, England, hosts of *Polymorphus minutus* (Acanthocephala), 345

7477-J